

Bibliography Report

December 1, 2006–December 31, 2006

Page 1 of 1

Avramis IA, Panosyan E, Dorey FJ, Holcenberg J, Avramis VI. Correlation between high vascular endothelial growth factor (VEGF-A) serum levels and treatment outcome in patients with standard-risk acute lymphoblastic leukemia (SR ALL): a report from CCG-1962 study. *Clin Cancer Res*; 12(23):6978-6984, 2006.

1962; Acute Lymphoblastic Leukemia Disease Committee; Research Paper. COG # 8410

Barbaric D, Alonzo T, Gerbing R, Meshinchi S, Heerema NA, Barnard DR, Lange B, Woods WG, Arceci R, Smith FO. Minimally differentiated acute myeloid leukemia (FAB AML-M0) is associated with an adverse outcome in children: a report from the Children's Cancer Group studies CCG-2891 and -2961. *Blood*; [Epub ahead of print] 2006.

2891, 2961; Myeloid (Diseases) Disease Committee; Research Paper. COG # 8292

Joffe S, Fernandez C, Pentz R, Ungar DR, Mathew NA, Turner CW, Alessandri AJ, Woodman CL, Singer DA, Kodish E. Involving children with cancer in decision-making about research participation. *J Pediatr*; 149(6):862-868, 2006.

Research Paper. COG # 8136

Johnston DL, Nagel K, O'Halloran C, Sencer S, Kelly K, Frieber SE, Hilden JM, Friedman D. Complementary and alternative medicine in pediatric oncology – availability and institutional policies in Canada: a report from the Children's Oncology Group. *Pediatr Blood Cancer*; 47(7):955-958, 2006.

Cancer Control Scientific Committee, Clinical Research Associates Discipline Committee; Research Paper. COG # 8271

Lones MA, Heerema NA, Le Beau MM, Perkins S, Kadin M, Kjeldsberg C, Sposto R, Meadows AT, Siegel S, Buckley J, Finlay J, Abromowitch M, Cairo M, Sanger W. Complex secondary chromosome abnormalities in advanced stage anaplastic large cell lymphoma of children and adolescents: a report from CCG-E08. *Cancer Genet Cytogenet*; 171(2):89-96, 2006.

552, E08; Cytogenetics Discipline Committee, Non-Hodgkin's Lymphoma Disease Committee; Research Paper. COG # 8362

Nathan P, Whitcomb TO, Wolters PL, Steinberg S, Balis F, Brouwers P, Hunsberger S, Bleyer WA, Feusner J, Sather H, Miser J, Odom LF, Poplack D, Reaman GH. Very high-dose methotrexate (33.6 g/m²) as CNS preventive therapy for childhood acute lymphoblastic leukemia: Results of collaborative National Cancer Institute/Children's Cancer Group trials CCG-191P, CCG-134P, and CCG-144P. *Leuk Lymphoma*; 47(12):2488-2504, 2006.

134P, 144, 191P/191; Acute Lymphoblastic Leukemia Disease Committee; Research Paper. COG # 8300

Robertson P, Muraszko K, Holmes E, Sposto R, Packer R, Gajjar A, Dias MS, Allen J. Incidence and severity of postoperative cerebellar mutism syndrome in children with medulloblastoma: a prospective study by the Children's Oncology Group. *J Neurosurg*; 105(6):444-451, 2006.

9931, A9961; Central Nervous System Tumor Disease Committee; Research Paper. COG # 8454